

HASLER

Installation Instructions

PostLink

Introduction

The **United States Postal Service** has announced a rate change effective January 8, 2006. The Rate Card provided with these instructions will update your Hasler WJ meters to the most current rates.



January 2006

**Follow the instruction on the back of this notice
to install the new rates in your scale.**

If You Have Questions

Call your local Hasler dealer or contact us:

Hasler, ®Inc.
19 Forest Parkway
Shelton, CT 06484-6140

Phone 800-446-6027

Fax 800-631-0546

Rate Change Highlights





The USPS will institute a 5.4% increase on Domestic and International rates. Here is a brief description of the rates affected by the increase.





First Class	First ounce, up 2 cents from \$.37 to \$.39. Each additional ounce, up 1 cent to \$.24.
Priority Mail	Base rate up 20 cents to \$4.05. One pound up 30 cents to \$6.15.
Express Mail	8 ounces, up 75 cents to \$14.40.
Parcel Post	2 pounds, up 22 cents to \$4.36.
Post Card	Up 1 cent to 24 cents.
Certified Mail	Up 10 cents to \$2.40.

Return Of Old Rate Cards

Return the rate module in the prepaid, self-addressed, padded envelope that arrived with the new rate card.

Installation Procedure

Step	Action	Figure
1	<p>Make sure the power is turned off, by disconnecting the Black power cord (shown). →</p>	
2	<p>Use the rate module that arrived with these instructions (shown). →</p> <p>Connect the rate module to the middle slot as indicated in the picture. →</p>	 
3	<p>Make sure the module is fully inserted before connecting the black power cord.</p> <p>Reconnect the black power cord.</p>	

<p>4</p>	<p>Upon start-up you will see "Init Safe" (shown). →</p> <p>The PostLink will proceed through an automatic process to upgrade the rates.</p> <p>Wait a few minutes until the procedure is complete.</p>	
<p>5</p>	<p>Once the upgrade is complete you will see the main metering screen (shown). →</p>	
<p>6</p>	<p>From the main metering screen press the MENU button <i>until</i> you see "Service" (shown). →</p> <p>Press the ENTER button and Immediately press the MENU button.</p> <p>You will be able to verify that the new rates (V2.04) have been successfully loaded (shown). →</p> <p>Press EXIT until you return to the main metering screen.</p>	 
<p>7</p>	<p>Remove the rate module and return it in the included envelope.</p>	